



Montmartre Blu

PARIS

Alternanza di colori, bianco e nero, ma anche soluzioni decorative più sofisticate realizzate con fiori, greche, fregi, che interpretano le suggestioni dello stile liberty e déco.

Un ritorno che è diventato una vera e propria tendenza con nuove soluzioni stilistiche e cromatiche. Come alternativa al tappeto, per valorizzare una nicchia o il box doccia, per rendere protagonista una zona dell'open space. Con Paris si realizzano delimitazioni degli spazi con una forza estetica senza precedenti.

Color variation, black and white, but even more sophisticated decorative solutions made with flowers, greek fret and friezes, which recall the suggestions of Liberty style and Déco.

A reference point that becomes real trend with new stylistic and chromatic solutions. As an alternative to carpets, to enhance a corner, the shower stall or to refine an open space area.

Together with Paris it is possible to delimit spaces with an unprecedented aesthetic force.



Pavimento / Floor: Belleville marrone
Bancone/ Bar counter: Belleville Marrone - Bercy Marrone - Montmartre Marrone - Saint Germain Marrone





Pavimento / Floor: Charonne Nero
Rivestimento / Wall: PR 8





Saint Germain Marrone







Vivienne Nero







20PR08
PR 8 / Nero
20x20 cm 8x8 in
067




20PR00VNA
Vivienne Nero
20x20 cm 8x8 in
092




20PR00YNA
Bercy Nero
20x20 cm 8x8 in
092



20PR00CNA
Charonne Nero
20x20 cm 8x8 in
092



Vivienne Nero
sample layout 4x4 tiles



Bercy Nero
sample layout 4x4 tiles



Charonne Nero
sample layout 4x4 tiles



Bercy Nero



Europallet

Package	20x20
Pieces	29
Mq.	1,16
Kg.	20,40
Boxes	45
Mq.	52,20
Kg.	940,00

SHADE VARIATION



FIRE

LA PORCELLANA SMALTATA
THE GLAZED PORCELAIN
GLASIERTES FEINSTEINZEUG
LA PORCELAINE EMAILÉE

Price codes: Mq. Ml. Pieces



SPESSORE

THICKNESS

STAERKE

ÉPAISSEUR

8,5 mm



RESISTENZA AL GELO

FROST RESISTANCE

FROSTBESTÄNDIGKEIT

RESISTANCE AU GEL

RESISTANT
ISO 10545.12



ASSORBIMENTO
D'ACQUA

WATER ABSORPTION

WASSERAUFNAHME

ABSORPTION D'EAU

~0,1%
ISO 10545.3



CAMPO D'IMPIEGO
CONSIGLIATO

RECOMMENDED USE

ANWEDUNGSBEREICH

PIECE D'EMPLOI
CONSEILLÉE



RESISTENZA CHIMICA

CHEMICAL RESISTANCE

BESTÄNDIGKEIT GEGEN
CHEMIKALIEN

RESISTANCE CHIMIQUE

GA
UNI EN ISO 10545.13
5
UNI EN ISO 10545.14



RESISTENZA ALLO
SCIVOLAMENTO

SLIPPING RESISTANCE

RUTSCHFESTIGKEIT

FACTEUR DE RESISTANCE
ANTIGLISSEMENT

DIN 51130
DIN 51097
ANSI 137.1 (DCOF)
BCRA

ASCIUTTO BAGNATO

DRY WET

TROCKEN NASS

SEC MOUILLE

R 9
-
>0,40

-
B
≥0,42
>0,40



20PR00SBA
Saint Germain Blu
20x20 cm 8x8 in
092



20PR00YBA
Bercy Blu
20x20 cm 8x8 in
092



20PR00MBA
Montmartre Blu
20x20 cm 8x8 in
092



20PR00BBA
Belleville Blu
20x20 cm 8x8 in
092



20PR00SMA
Saint Germain Marrone
20x20 cm 8x8 in
092



20PR00YMA
Bercy Marrone
20x20 cm 8x8 in
092




20PR00MMA
Montmartre Marrone
20x20 cm 8x8 in
092



20PR00BMA
Belleville Marrone
20x20 cm 8x8 in
092



Saint Germain Blu
sample layout 4x4 tiles



Bercy Blu
sample layout 4x4 tiles




Montmartre Blu
sample layout 4x4 tiles



Belleville Blu
sample layout 4x4 tiles



Saint Germain Marrone
sample layout 4x4 tiles



Bercy Marrone
sample layout 4x4 tiles



Montmartre Marrone
sample layout 4x4 tiles



Belleville Marrone
sample layout 4x4 tiles

 Box	Package	20x20
	Pieces	29
	Mq.	1,16
 Europallet	Kg.	20,40
	Boxes	45
	Mq.	52,20
	Kg.	940,00

SHADE VARIATION

LOW

MODERATE

HIGH

RANDOM



FIRE											
LA PORCELLANA SMALTATA				SPESSORE	RESISTENZA AL GELO	ASSORBIMENTO D'ACQUA	CAMPO D'IMPIEGO CONSIGLIATO	RESISTENZA CHIMICA	RESISTENZA ALLO SCIVOLAMENTO	ASCIUTTO	BAGNATO
THE GLAZED PORCELAIN				THICKNESS	FROST RESISTANCE	WATER ABSORPTION	RECOMMENDED USE	CHEMICAL RESISTANCE	SLIPPING RESISTANCE	DRY	WET
GLASIERTES FEINSTEINZEUG				STAERKE	FROSTBESTÄNDIGKEIT	WASSERAUFNAHME	ANWEDUNGSBEREICH	BESTÄNDIGKEIT GEGEN CHEMIKALIEN	RUTSCHFESTIGKEIT	TROCKEN	NASS
LA PORCELAINÉ EMAILÉE				ÉPAISSEUR	RESISTANCE AU GEL	ABSORPTION D'EAU	PIECE D'EMPLOI CONSEILLÉE	RESISTANCE CHIMIQUE	FACTEUR DE RESISTANCE ANTIGLISSEMENT	SEC	MOUILLE
				8,5 mm	RESISTANT ISO 10545.12	~0,1% ISO 10545.3		GA UNI EN ISO 10545.13 5 UNI EN ISO 10545.14	DIN 51130 DIN 51097 ANSI 137.1 (DCOF) BCRA	R 9 ->0,40	- B ≥0,42 >0,40
Price codes:  Mq.  Ml.  Pieces											